

- kinases that are activated and tyrosine phosphorylated in response to insulin and NGF. *Cell* 1991;65:663-75.
6. Cheng M, Boulton TG, Cobb MH. ERK3 is a constitutively nuclear protein kinase. *J Biol Chem* 1996;271:8951-8.
 7. Julien C, Coulombe P, Meloche S. Nuclear export of ERK3 by a CRM1-dependent mechanism regulates its inhibitory action on cell cycle progression. *J Biol Chem* 2003;278:42615-24.
 8. Teasdale RD, Jackson MR. Signal-mediated sorting of membrane proteins between the endoplasmic reticulum and the golgi apparatus. *Annu Rev Cell Dev Biol* 1996;12:27-54.
 9. Bind E, Kleyner Y, Skowronska-Krawczyk D, Bien E, Dynlacht BD, Sanchez IA. Novel Mechanism for Mitogen-activated Protein Kinase Localization. *Mol Biol Cell* 2004;15:4457-66.
 10. Coulombe P, Rodier G, Pelletier S, Pellerin J, Meloche S. Rapid turnover of extracellular signal-regulated kinase 3 by the ubiquitin-proteasome pathway defines a novel paradigm of mitogen-activated protein kinase regulation during cellular differentiation. *Mol Cell Biol* 2003;23:4542-58.
 11. Crowe DL. Induction of p97MAPK expression regulates collagen mediated inhibition of proliferation and migration in human squamous cell carcinoma lines. *Int J Oncol* 2004;24:1159-63.
 12. Sun M, Wei Y, Yao L, Xie J, Chen X, Wang H, et al. Identification of extracellular signal-regulated kinase 3 as a new interaction partner of cyclin D3. *Biochem Biophys Res Commun* 2006;340:209-14.
 13. Aaen Hansen C, Bartek J, Jensen S. A functional link between the human cell cycle-regulatory phosphatase Cdc14A and the atypical mitogen-activated kinase Erk3. *Cell Cycle* 2008;7:325-34.
 14. Tanguay PL, Rodier G, Meloche S. C-terminal domain phosphorylation of ERK3 controlled by Cdk1 and Cdc14 regulates its stability in mitosis. *Biochem J* 2010;428:103-11.
 15. Cagnol S, Van Obberghen-Schilling E, Chambard JC. Prolonged activation of ERK1,2 induces FADD-independent caspase 8 activation and cell death. *Apoptosis* 2006;11:337-346.
 16. Rossi R, Montecucco A, Donzelli M, Denegri M, Biamonti G, Scovassi A. DNA ligase I is dephosphorylated during the execution step of etoposide-induced apoptosis. *Cell Death Differ* 2002;9:89-90.
 17. Fraschini A, Bottone MG, Scovassi AI, Denegri M, Risueño MC, Testillano PS, et al. Changes in extranucleolar transcription during actinomycin D-induced apoptosis. *Histol Histopathol* 2005;20:107-17.
 18. Bottone MG, Soldani C, Tognon G, Gorrini C, Lazzè MC, Brison O, et al. Multiple effects of paclitaxel are modulated by a high c-myc amplification level. *Exp Cell Res* 2003;290:49-59.
 19. Bottone MG, Soldani C, Veneroni P, Avella D, Pisu M, Bernocchi G. Cell proliferation, apoptosis and mitochondrial damage in rat B50 neuronal cells after cisplatin treatment. *Cell Prolif* 2008;41:506-20.
 20. Costanzo M, Cisterna B, Vella A, Cestari T, Covi V, Tabaracci G, Malatesta M. Low ozone concentrations stimulate cytoskeletal organization, mitochondrial activity and nuclear transcription. *Eur J Histochem* 2015;59:2515.
 21. Bernhard W. A new staining procedure for electron microscopical cytology. *J Ultrastruct Res* 1969;27:250-255.
 22. Jiang Z, Hu Z, Zeng L, Lu W, Zhang H, Li T, Xiao H. The role of the Golgi apparatus in oxidative stress: Is this organelle less significant than mitochondria? *Free Radic Biol Med* 2011;50:907-17.
 23. Bottone MG, Santin G, Aredia F, Bernocchi G, Pellicciari C, Scovassi AI. Morphological features of organelles during apoptosis: An overview. *Cells* 2013;2:294-305.
 24. Bridger JM, Kill IR, Lichter P. Association of pKi-67 with satellite DNA of the human genome in early G1 cells. *Chromosome Res* 1998;6:13-24.
 25. Endl E and Gerdes J. The Ki-67 protein: fascinating forms and an unknown function. *Exp Cell Res* 2000;257:231-7.
 26. Lerner EA, Jarman MR, Janeway CA, Jr, Steitz JA. Monoclonal antibodies to nucleic acid-containing cellular constituents: probes for molecular biology and autoimmune disease. *Proc Natl Acad Sci USA* 1981;78:2737-41.
 27. Jalkan S. The functional architecture of the nucleus as analysed by ultrastructural cytochemistry. *Histochem Cell Biol* 2004;122:83-93.
 28. Fu XD, Maniatis T. Factor required for mammalian spliceosome assembly is localized to discrete regions in the nucleus. *Nature* 1990;343:437-41.
 29. Lin R, Chen X, Li W, Han Y, Liu P, Pi R. Exposure to metal ions regulates mRNA levels of APP and BACE1 in PC12 cells: blockage by curcumin. *Neurosci Lett* 2008;440:344-7.
 30. Bjork P, Jin S, Zhao J, Singh OP, Persson JO, Hellman U, Wieslander L. Specific combinations of SR proteins associate with single pre-messenger RNAs in vivo and contribute different functions. *J Cell Biol* 2009;184:555-568.
 31. Puvion E, Puvion-Dutilleul F. Ultrastructure of the nucleus in relation to transcription and splicing: roles of perichromatin fibrils and interchromatin granules. *Exp Cell Res* 1996;15:229:217-25.
 32. Bogolyubov D, Stepanova I, Parfenov V. Universal nuclear domains of somatic and germ cells: some lessons from oocyte interchromatin granule cluster and Cajal body structure and molecular composition. *Bioessays* 2009;31:400-9.
 33. Biggiogera M, Pellicciari C. Heterogeneous ectopic RNP-derived structures (HERDS) are markers of transcriptional arrest. *FASEB J* 2000;14:828-34.
 34. Biggiogera M, Bottone MG, Scovassi AI, Soldani C, Vecchio L, Pellicciari C. Rearrangement of nuclear ribonucleoprotein (RNP)-containing structures during apoptosis and transcriptional arrest. *Biol Cell* 2004;96:603-15.
 35. Scovassi AI, Bottone MG, Biggiogera M, Pellicciari C. Dynamic relocation of nuclear proteins during the execution phase of apoptosis. *Biochem Pharmacol* 2008;76:1440-50.
 36. Visa A, Puvion-Dutilleul F, Bachelier JP, Puvion E. Intranuclear distribution of U1 and U2 snRNAs visualized by high resolution in situ hybridization: revelation of a novel compartment containing U1 but not U2 snRNA in HeLa cells. *Eur J Cell Biol* 1993;60:308-21.
 37. Hebert MD. Signals controlling Cajal body assembly and function. *Int J Biochem Cell Biol* 2013;45:1314-7.
 38. Li S, Ou XH, Wang ZB, Xiong B, Tong JS, Wei L, et al. ERK3 is required for metaphase-anaphase transition in mouse oocyte meiosis. *PLoS One* 2010;5 pii: e13074.
 39. Brand F, Schumacher S, Kant S, Menon MB, Simon R, Turgeon B, et al. The extracellular signal-regulated kinase 3 (mitogen-activated protein kinase 6 [MAPK6])-MAPK-activated protein kinase 5 signaling complex regulates septin function and dendrite morphology. *Mol Cell Biol* 2012;32:2467-78.
 40. Marquis M, Boulet S, Mathien S, Rousseau J, Thébault P, Daudelin JF, et al. The non-classical MAP kinase ERK3 controls T cell activation. *PLoS One* 2014;9:e86681.
 41. Wang W, Bian K, Vallabhaneni S, Zhang B, Wu RC, O'Malley BW, et al. ERK3 promotes endothelial cell functions by upregulating SRC-3/SP1-mediated VEGFR2 expression. *J Cell Physiol* 2014;229:1529-37.
 42. Long W, Foulds CE, Qin J, Liu J, Ding C, Lonard DM, et al. ERK3 signals through SRC-3 coactivator to promote human lung cancer cell invasion. *J Clin Invest* 2012;122:1869-80.
 43. Radu M, Semenova G, Kosoff R, Chernoff J. PAK signalling during the development and progression of cancer. *Nat Rev Cancer* 2014;14:13-25.