

35. Miller CE, Thompson RP, Bigelow MR, Gittinger G, Trusk TC, Sedmera D. Confocal imaging of the embryonic heart: How deep? *Microsc Microanal* 2005;11:216-23.
36. King KR, Aguirre AD, Ye Y-X, Sun Y, Roh JD, Ng RP, et al. IRF3 and type I interferons fuel a fatal response to myocardial infarction. *Nat Med* 2017;23:1481-7.
37. Ding Y, Lee J, Ma J, Sung K, Yokota T, Singh N, et al. Light-sheet fluorescence imaging to localize cardiac lineage and protein distribution. *Sci Rep* 2017;7:42209.
38. Schnell SA, Staines WA, Wessendorf MW. Reduction of lipofuscin-like autofluorescence in fluorescently labeled tissue. *J Histochem Cytochem* 1999;47:719-30.
39. Viegas MS, Martins TC, Seco F, do Carmo A. An improved and cost-effective methodology for the reduction of autofluorescence in direct immunofluorescence studies on formalin-fixed paraffin-embedded tissues. *Eur J Histochem* 2007;51:59-66.
40. Terman A, Brunk UT. Lipofuscin: mechanisms of formation and increase with age. *APMIS* 1998;106:265-76.

Online supplementary material:

Widefield fluorescence microscopy

Figure S1. Widefield IF and AF images of control and samples treated with 0.3% SBB, TrueBlack®, and 1% NaBH₄ using the pre-treatment application protocol.

Figure S2. Widefield IF and AF images of control and samples treated with 0.3% SBB, TrueBlack®, and 1% NaBH₄ using the post-treatment application protocol.

Non-commercial use only

Received for publication: 21 June 2023. Accepted for publication: 28 August 2023.

This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0).

©Copyright: the Author(s), 2023

Licensee PAGEPress, Italy

European Journal of Histochemistry 2023; 67:3812

doi:10.4081/ejh.2023.3812

Publisher's note: all claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article or claim that may be made by its manufacturer is not guaranteed or endorsed by the publisher.